

## 1005-1-14 Optional Gooseneck Hitch Assembly

<i>Ref</i>	<i>Part No.</i>	<i>Description</i>	<i>Parts – Assembly</i>	<i>Will Fit SN</i>	<i>Remarks</i>
0	BL-16-SW	1" SAE Washer	4		
0	PTS-4002	1-3/8 21-spline x Overhung LA, 190 g-neck and vine diverter	0		PTS-8100-FH + PTS-4001-RH
1	193-918	Cylinder bracket frame	1		
2	ARM-2P01	Arm, Gooseneck Hitch, Machine Connection	1		May require modification to PIN-2P01 when installing on 40001001-40002003 or on 10002005.
3	BU-2P01	Bushing, Arm, Gooseneck, Main Frame	1		
4	EL-0002	Electrical Control Box 02 Tom. Act. Ready	1		
5	FRM-2P04	Frame, 190 Gooseneck Hitch Mount	1		
6	FRM-3167	Safety Chain, Agricultural, 30,400 lb. Capacity	0	19701-30097001-	
7	HP-1003	Overhung Load Adapter	1	11001	
8	MOU-2P01	Pin, Mount, Gooseneck Hitch	1		
9	MOU-3112	Mount, Hydraulic Valve, Control Valve, Cuc & Tom	1		
10	PIN-003P	Pin, Quick Hitch & Tomato	2		
11	PIN-2P01	Pin, Gooseneck Hitch Pivot, Top of Tractor	1		Will require modification to ARM-2P01 when installing on 40001001-40002003 or on 10002005.
12	SHD-B8	Shield, Electrohydraulic "Brand", 8-Stack	1	19601-	
13	FRM-1101	Frame, Main W/Gooseneck Hitch	1		
14	POS-8110	Post, Pivot Holder, Tongue HC290	1		
15	SUP-8110	Support, Pivoting Hose Holder, Tongue HC290	2		
16	SUP-2P01	Support, hydraulic Pump, Bottom Arms	1		
17	GF-1428	Grease Fitting 1/4" x 28 straight	8		
18	194-1131	Leveling Cylinder Cover	1	19401-	
19	191-1112	Axle Pin	1	19101-	
20	A-SFK-32	2" Split Flange Kit	2		
21	WT-17H	Heavy Duty Wire Tie 17.5"	20		
22	HC-250-1208	Tie Rod Cylinder, Standard 2 1/2" x 12"	1		
23	PTS-4001	1-3/4 20-spline x Overhung LA (190 g-neck)	1		PTS-4001-FH + PTS-4001-RH IH MX Series Quick Hitch On Ford New Hol. Quick Hitch Off JD 7000 & 8000 both Hitch configs Case IH above 160 HP Quick H on Case IH Under 159 HP Both Hitch configs
24	HP-365-C1	Hydraulic Pump, Commercial 365	1		

25	192-1125	Mount, Jack Stand, Frame, 2-Point Hitch	1		
26	192-1125A	Adjuster	1		
27	192-1125B	Pin, Jack Stand, Frame, 2-Point Hitch Machines	1		
28	SFT-2P01	Shaft, Gooseneck Hitch Pivot, Swivel	1		
29	SUP-8210	Support, Rear Swivel Plate, Gooseneck Hitch	1		
30	DC-0041	Decal, Control Box, Tomato, '02	1		
31	GF-1827-45	Grease Fitting 1/8 NPT 45	5		
32	BAR-8213	Bar, Spacer, Back Top, Hitch/Tongue, HC290	1		
33	BAR-8214	Bar, Spacer, Back, Bottom, Hitch/Tongue, HC290	1	BAR-8214	
34	BAR-8215	Bar, Spacer, Front Top, Hitch/Tongue, HC290	1		
35	BAR-8216	Bar, Spacer, Front Middle, Hitch/Tongue, HC290	1		
36	BAR-8217	Bar, Spacer, Front Bottom, Hitch/Tongue, HC290	1		
37	BT-0018	Belting, Hose Holder, Hitch Arm, 2-Point Hitch	1		
38	BT-1402	Belting on Gooseneck Hitch Mount	1		
39	BT-8110	Belting, Hose Holder, Gooseneck	3		
40	CL-201	2" Hose Clamp, Heavy Duty T-Bar, 2.25-2.5"	8		
41	EL-1258	Goose Neck Hitch Machine Power Cord	1		
42	ELC-4000	Control Box Power Cord 25' G-Neck Hitch	1		
43	SPA-1510	Spacer, Air Filter Mount, 2-Point Hitch, Tom.	1		
44	SUP-0016	Support, Hose, Hydraulic Hose, Tongue, Rear	1		
45	SFT-8210	Shaft, Hose Holder, 190 Frame	1		
46	HOS-3-4-72SP	Hose 3", Suction Line Cover Clear, 190 Tomato	2		
47	CL-375	3" Hose Clamp, Heavy Duty T-Bar, 3.375-3.75"	4		86-91
48	STRP-1050	10" Tarp Straps	3		
49	BT-0056	Belting, Hose Wrap, Tomato	2		
50	BT-0057	Belting, Suction Hose Wrap	1		
51	bt-0058	Belting, Pump Cover, Tomato	1		
52	BRA-0116	Bracket, Pump Cover, Tomato	1		
53	SUP-0009	Support, Hose Holder, Gooseneck Hitch, 190 Tom	1		
100	BL-4-200-H	1/4-20 X 2 HEX CAP G5 ZC	4		
101	BL-4-LN	1/4-20 HEX LN NE ZC	4		
102	BL-4-150-H	1/4-20 X 1 1/2 HEX CAP G5 ZC	2		
103	BL-4-FW	1/4 USS FW ZC	4		
104	BL-4-N	1/4-20 HEX FIN NUTS ZC	3		
105	BL-6-275-H	3/8-16 X 2 3/4 HEX CAP G5 ZC	1		
106	BL-6-LN	3/8 UNC FIN HEX LOCK NUT NE A563 GrA ZINC	1		
107	BL-4-075-H	1/4 UNC X 3/4 HH C/S BOLT GR5 ZINC	2		

108	BL-16-400-H	1" x 4" Gr 5 HH Bolt Zinc Coated	2		
109	BL-16-LN	1" Lock Nuts w/ Nylon Inserts	2		
110	BL-12-550-H	3/4-10 X 5 1/2 HH GR5 ZC	3		
600	A-4456-32-32	Flange Nipple, 2" 45	2		
601	H12-174-12MP-16MJ	3/4 in hose 3/4MP-1MJIC x 174 in long	2		
603	A-6901-10-8-4SAE	10 SAE x 1/2 FPX90 W/ 4SAE Port, Forged)	2		
604	HA-1004-G	Hydraulic, Pressure Gauge w/1/4 NPT Stem	1		
605	A-6901-12-12-4SAE	12 SAE x 3/4" FPX 90 w/4 SAE Port, Forged	2		
606	H10-180-8MP-12MJ	5/8 in hose 1/2MP X 3/4MJIC 180 in long	2		
608	HA-1004-4	Test Point Plug #4 SAE Thread	4		
609	HA-1005-T	Test Point Probe	1		
610	H12-122-12MP-8MP	3/4" Hose 3/4"MP x 1/2"MP x 122" Long	1		
611	AIR-N4	1/4"Nylon Tubing @ ft., Black	15		assembly personnel will monitor inventory
612	A-4444-32-32	2" Male Pipe Hose Barb	2		
613	H10-184-8MP-8MP	5/8 in hose 1/2MP X 1/2MP x184 in long	1		
614	H10-195-8MP-8MP	5/8 in hose 1/2MP X 1/2MP x 195 in long	1		
615	H32-171	2" Suction Hose, To Front Pump	1		
616	h32-163	2" Suction Hose, To Back Pump	1		
617	H32-90	2" Suction Hose, From Tank to Gate Valve	2		
618	HV-GV-200	2" Brass Gate Valve	2		
619	A-LV1501-8-8	Live Swivel 90 with AFLAS Seals	1		
800	EL-805	Automotive Fuses 10 Amp	1		
801	HP-1003A	Rear seal for HP-1003	1	11001	
802	HP-1003B	Front seal for HP-1003	1	11101	
803	HP-1003S	Output Shaft for HP-1003	1	HP-1003	
804	HP-365B	Key for Hydraulic Pump, Model 365	1	HP-365-C1 & HP-365-C3	
805	KEY-6-6-40	Keystock 3/8" x 3/8" x 2 1/2" Square Cut (1018)	1		
806	A-90DF-32	O Ring for Flange Face 2"	2	A-SFK-32	

# 1005-1-14 OPTIONAL GOOSENECK HITCH ASSEMBLY

PLACE # 49 AROUND HOSES BY PIVOT ON HITCH  
 PLACE # 50 AROUND HOSES BETWEEN TANK AND GATE VALVE

